

IN THE CLAIMS:

Please amend Claims 1, 2, 5 and 6 as follows:

Subell 1. (Twice Amended) A therapeutic spa tub having a waterline and one or more therapeutic water nozzles for issuing jets of water into said tub, said one or more therapeutic water nozzles each comprising a housing having an inlet for receiving a flow of water under pressure, a fluidic oscillator having an oscillation chamber and a power nozzle coupled to said inlet and said oscillation chamber for projecting a first jet of water into said oscillation chamber, a common outlet, a pair of outlet passages from said oscillation chamber for issuing a pair of periodically pulsating pulses of water into said spa tub below said waterline, and an air passage in said common outlet for selectively entraining ambient air in water passing through said common outlet.

2. (Twice Amended) The therapeutic spa tub defined in Claim 1 wherein said fluidic oscillator is a reversing chamber oscillator and wherein said oscillation chamber has a reversing wall, said power nozzle being centrally located for issuing said first jet of said water toward said reversing wall, said common outlet located below said waterline and a pair of liquid outlet passages leading from said reversing chamber on each side of said power nozzle, respectively, to said common outlet for carrying said periodically pulsating pulses of said water and wherein said outlet passages are smoothly extended to intersect at said common outlet

B3  
to ambient and water from said liquid outlet passages merge to form  
a low-frequency swept jet, and said passages are merged to  
establish the sweep angle of a second liquid jet which is  
periodically swept in said common outlet to ambient water in said  
15 spa tub.

---

Subcl 5. (Twice Amended) A therapeutic spa tub having a  
waterline and one or more therapeutic water nozzles for issuing  
jets of water into said tub, said water nozzles each comprising a  
housing having an inlet for receiving a flow of water under  
5 pressure, a fluidic oscillator having an oscillation chamber and a  
power nozzle coupled to said inlet and said oscillation chamber for  
projecting a first jet of water into said oscillation chamber and  
a pair of outlets from said oscillation chamber for issuing a  
pulsating jet of water into said spa tub below said waterline, said  
10 fluidic oscillator is a reversing chamber oscillator and wherein  
said oscillation chamber has a reversing wall, said power nozzle  
being centrally located for issuing said first jet of said water  
toward said reversing wall, a common outlet, and said pair of  
outlets being constituted by a pair of liquid passages leading from  
15 said reversing chamber on each side of said power nozzle,  
respectively, for alternately carrying periodic pulses of said  
water and wherein said liquid passages are smoothly extended to  
intersect at said common outlet to ambient and water from said

B4  
20 passages merge to form a low-frequency swept water jet below said waterline.

B5  
Subcl 6. (Amended) A therapeutic spa tub having a waterline and one or more therapeutic water nozzles for issuing jets of water into said tub, said water nozzles each comprising a housing having an inlet for receiving a flow of water under pressure, a fluidic oscillator having an oscillation chamber and a power nozzle coupled to said inlet and said oscillation chamber for projecting a first jet of water into said oscillation chamber and a pair of outlets from said oscillation chamber for issuing a pulsating jet of water into said spa tub below said waterline, said fluidic oscillator is a reversing chamber oscillator and wherein said oscillation chamber has a reversing wall, said power nozzle being centrally located for issuing said first jet of said water toward said reversing wall, a common outlet, and said pair of outlets being constituted by a pair of liquid passages leading from said reversing chamber on each side of said power nozzle, respectively, for alternately carrying periodic pulses of said water and wherein said liquid passages are smoothly extended to intersect at said common outlet to ambient and water from said passages merge to form a low-frequency swept water jet below said waterline, and wherein said nozzle has a threaded rear housing, a feed ring having a wall defining a water chamber surrounding said reversing chamber and an air chamber for coupling air to said common outlet for entrainment in said swept water jet.